



## In-Use Single Gang


- Mounts vertically and horizontally
- For use in wet/damp locations
- Mounts to an FS Box or nonporous flat surface
- Nonmetallic. Won't rust or fade
- Scratch resistant cover
- Paintable




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98MW	White	0 34481 19091 2	10	13.25" x 4" x 6"	3.3	0.18
E98MC	Clear	0 34481 19089 9	10	13.25" x 4" x 6"	3.3	0.18
E98MG	Grey	0 34481 19090 5	10	13.25" x 4" x 6"	3.3	0.18

Flat covers 5/8" Depth.


### 14 Configurations



Horizontal Mount



Vertical Mount



## In-Use Double Gang


- Mounts vertically
- For use in wet/damp locations
- Mounts to an FS Box or nonporous flat surface
- Nonmetallic. Won't rust or fade
- Scratch resistant cover
- Paintable
- These covers must be mounted in accordance with all local and NEC/CEC requirements.




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2MW	White	0 34481 19094 3	10	13.25" x 4" x 6"	5.4	0.18
E9G2MC	Clear	0 34481 19092 9	10	13.25" x 4" x 6"	5.4	0.18
E9G2MG	Grey	0 34481 19093 6	10	13.25" x 4" x 6"	5.4	0.18

Flat covers 5/8" Depth.

### 40 Configurations



Vertical Mount only



## In-Use Single Gang


- NEMA Type 3R Rated
- Meets NEC Article 406.8(B), CEC Subrule 26-706
- Mounts vertically and horizontally
- For use in wet/damp locations
- Mounts to an FS Box or nonporous flat surface
- Nonmetallic. Won't rust or fade
- Scratch resistant cover
- Paintable




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UVHMW	White	0 34481 19098 1	12	20.5" x 7.6" x 6.5"	7.6	0.58
E9UVHMC	Clear	0 34481 19096 7	12	20.5" x 7.6" x 6.5"	7.6	0.58
E9UVHMG	Grey	0 34481 19097 4	12	20.5" x 7.6" x 6.5"	7.6	0.58

Standard covers 2-3/4" Depth.


### 14 Configurations



Horizontal Mount



Vertical Mount




## Deep Vertical Single Gang




Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UDVHMW	White	0 34481 19105 1	8	20.5" x 7.6" x 6.5"	6.9	0.58
E9UDVHMC	Clear	0 34481 19183 2	8	20.5" x 7.6" x 6.5"	6.9	0.58
E9UDVHMG	Grey	0 34481 19104 9	8	20.5" x 7.6" x 6.5"	6.9	0.58

Deep covers 4-3/4" Depth.


### 14 Configurations



Horizontal Mount



Vertical Mount





## Weatherproof Covers – Single Gang

### 15 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98SRCN-CAR	Grey	0 34481 11070 5	10	12" x 4" x 6"	2.05	0.17

For 15 amp or other single receptacles under 1.375" diameter.

### 20 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98G20N-CAR	Grey	0 34481 11071 2	10	12" x 4" x 6"	2.05	0.17

For 20 amp or other single receptacles under 1.625" diameter.

### 30 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98G30N-CAR	Grey	0 34481 11072 9	10	12" x 4" x 6"	1.72	0.17

For 30 amp or other single receptacles under 1.750" diameter.

### 50 AMP Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98G5FN-CAR	Grey	0 34481 11073 6	10	12" x 4" x 6"	1.97	0.17

For 50 amp or other single receptacles under 2.250" diameter.

### Vertical Duplex Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98GDRN-CAR	Grey	0 34481 11074 3	10	12" x 4" x 6"	1.97	0.17
E98GDRM-CAR	White	0 34481 11075 0	10	12" x 4" x 6"	1.97	0.17

For single gang duplex receptacle applications.

## Weatherproof Covers – Single Gang

### Vertical GFCI Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98GFCN-CAR	Grey	0 34481 11076 7	10	12" x 4" x 6"	2.00	0.17
E98GFCM-CAR	White	0 34481 11077 4	10	12" x 4" x 6"	2.00	0.17

For GFCI receptacle applications. Device opening dimensions: 2.63" H. x 1.31" W.

### Duplex Receptacle - Horizontal Mount



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98DHGN-CAR	Grey	0 34481 11081 1	10	12" x 4" x 6"	1.89	0.17
E98DHGM-CAR	White	0 34481 11082 8	10	12" x 4" x 6"	1.89	0.17

For GFI receptacle applications. Device opening dimensions: 2.63" H x 1.31" W.

### Horizontal GFCI Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98GHGN-CAR	Grey	0 34481 11083 5	10	12" x 4" x 6"	1.89	0.17
E98GHGM-CAR	White	0 34481 11084 2	10	12" x 4" x 6"	1.89	0.17

For GFI receptacle applications. Device opening dimensions 2.63" W x 1.31" H.

### Single Switch



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98SSCN-CAR	Grey	0 34481 11079 8	10	12" x 4" x 6"	2.05	0.17
E98SSCM-CAR	White	0 34481 11080 4	10	12" x 4" x 6"	2.05	0.17

For single switch applications.

### Toggle Switch



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E98TSCN-CAR	Grey	0 34481 11497 0	5	12" x 4" x 6"	2.00	0.17
E98TSCM-CAR	White	0 34481 11498 7	5	12" x 4" x 6"	2.00	0.17

For single weatherproof toggle switch applications.

## Weatherproof Covers – Two Gang

### Double Duplex Receptacle



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2DDN-CAR	Grey	0 34481 11033 0	10	12" x 6" x 6"	2.27	0.25
E9G2DDM-CAR	White	0 34481 11034 7	10	12" x 6" x 6"	2.63	0.25

For two gang duplex receptacle applications.

### Double Toggle Switch Combination



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2SSNR	Grey	0 34481 11492 5	3	7.1" x 6" x 4.2"	3.22	0.10

For two gang GFI and weatherproof toggle switch applications.

### GFCI Receptacle/Toggle Switch Combination



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2GTNR	Grey	0 34481 11037 8	3	12" x 6" x 6"	1.31	0.25

For two gang GFI and weatherproof toggle switch applications.

### Duplex Receptacle/Toggle Switch Combination



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9G2DSN-CAR	Grey	0 34481 11035 4	10	12" x 6" x 6"	1.31	0.25
E9G2DSM-CAR	White	0 34481 11036 1	10	12" x 6" x 6"	1.31	0.25

For two gang duplex receptacles, and weatherproof toggle switch applications.

## Blank Covers

### Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E980CN-CAR	Grey	0 34481 11494 9	12	6" x 4" x 6"	1.48	0.08
E980CM-CAR	White	0 34481 11495 6	12	6" x 4" x 6"	1.48	0.08

Fits Carlon® single gang FS boxes. Supplied with stainless steel mounting screws and gasket.

### Two Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9802CN-CAR	Grey	0 34481 11512 0	10	6" x 4" x 6"	2.19	0.8
E9802CM-CAR	White	0 34481 12424 5	10	6" x 4" x 6"	2.19	0.8

Fits Carlon® two gang FS boxes, other nonmetallic and metallic FS boxes. Supplied with stainless steel mounting screws and gasket.

## In-Use Weatherproof Covers

### Vertical Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UVCRN2	Clear	0 34481 19772 0	12	17.9" x 7.5" x 7"	5.00	0.54
E9UVGRN2	Grey	0 34481 19768 3	12	17.9" x 7.5" x 7"	5.23	0.54
E9UVWRN2	White	0 34481 19770 6	12	17.9" x 7.5" x 7"	5.32	0.54

Includes: one duplex receptacle plate, one GFI receptacle plate, one cover, one base with gasket and screws.

### Deep Vertical Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UDVCRN2	Clear	0 34481 12520 4	8	17.9" X 7.5" X 7"	8.56	0.54
E9UDVGRN2	Grey	0 34481 12522 1	8	17.9" X 7.5" X 7"	8.56	0.54
E9UDVWRN2	White	0 34481 15324 5	8	17.9" X 7.5" X 7"	8.56	0.54

Includes: one switch plate, one duplex receptacle plate, one GFI receptacle plate, one single receptacle plate, one cover, one base with gasket and screws. For use with heavy duty 12/10 guage cords.

1.60" diameter - fits 20 amp twistlock or standard 30 amp receptacle.

### Horizontal Single Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9UHCRN2	Clear	0 34481 07495 3	4	12" x 6" x 6"	2.02	0.25
E9UHGRN2	Grey	0 34481 07496 0	4	12" x 6" x 6"	2.02	0.25
E9UHWRN2	White	0 34481 07497 7	4	12" x 6" x 6"	2.02	0.25

Includes: one duplex receptacle plate, one GFI receptacle plate, one cover, one base with gasket and screws.

### Double Gang



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E9U2CRN2	Clear	0 34481 07507 3	6	17.9" x 7.5" x 7"	5.43	0.54
E9U2GRN2	Grey	0 34481 07508 0	6	17.9" x 7.5" X 7"	5.56	0.54
E9U2WRN2	White	0 34481 07509 7	6	17.9" x 7.5' x 7"	5.69	0.54

Includes: double duplex receptacle plate, double GFI receptacle plate, combination duplex and toggle plate, combination GFI and toggle plate, one cover, one base with gasket and screws.



## Nonmetallic Threaded Box

### Rectangular Single Gang "T" Box



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E381DR*	Grey	0 34481 06570 8	8	12" x 8" x 6"	2.31	0.33
E381DWR*	White	0 34481 04824 4	5	12" x 8" x 6"	2.31	0.33

With three 1/2" threaded holes. Mounting feet included.

### Rectangular Two Gang "T" Box



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E382DE*	Grey	0 34481 14400 7	6	13" x 6" x 5.5"	3.60	0.25
E382DEW*	White	0 34481 14411 3	6	13" x 6" x 5.5"	3.60	0.25

### 4" Round "T" Box



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E365DR*	Grey	0 34481 06571 5	8	12" x 8" x 6"	1.24	0.33
E365DWR*	White	0 34481 04825 1	8	12" x 8" x 6"	1.24	0.33

With five 1/2" threaded holes. Mounting feet included.

### Round Weatherproof Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E365C-CAR	Grey	0 34481 16017 5	20	5.75" x 4.5" x 6"	2.90	0.09
E365CW-CAR	White	0 34481 16113 4	20	5.75" x 4.5" x 6"	2.90	0.09

\* For use with nonmetallic wiring systems only.

## Nonmetallic Outlet Kits

### Vertical GFCI Kit



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
KE98GFCN	Grey	0 34481 14670 4	6	10.7" x 7.8" x 8.7"	3.25	0.42
KE98GFCM	White	0 34481 14671 1	6	10.7" x 7.8" x 8.7"	3.25	0.42

Includes GFCI receptacle, weatherproof cover, and weatherproof "T" box.

### Vertical Duplex Kit



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
KE98GDRN	Grey	0 34481 14668 1	6	10.7" x 7.8" x 8.7"	3.25	0.42
KE98GDRM	White	0 34481 14669 8	6	10.7" x 7.8" x 8.7"	3.25	0.42

Includes duplex receptacle, weatherproof cover, and weatherproof "T" box.

### Horizontal Duplex Kit



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
KE98DHGN	Grey	0 34481 14792 3	6	10.7" x 7.8" x 8.7"	3.25	0.42
KE98DHGM	White	0 34481 14793 0	6	10.7" x 7.8" x 8.7"	3.25	0.42

## Weatherproof Lighting Systems

### Rectangular Lampholder Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P7901W-CAR	White	0 34481 13284 4	18	12" x 6" x 6"	1.34	0.25

With five 1/2" threaded holes. Mounting feet included.

### Round Lampholder Cover



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P7801W-CAR	White	0 34481 13283 7	16	12" X 6" X 6"	2.30	0.25

With five 1/2" threaded holes. Mounting feet included.

### Lampholder with Gasket



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8001W-CAR	White	0 34481 13285 1	24	12" x 6" x 6"	5.40	0.25

*Weatherproof Lighting Systems (Continued)*

*Two Lampholders with Rectangular Cover*



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8005W-CAR	White	0 34481 13286 8	6	12" x 8" x 6"	3.72	0.33

*Two Lampholders with Round Cover*



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8010W-CAR	White	0 34481 13287 5	6	12" x 8" x 6"	4.03	0.33

*"No-Tool" Lampholder with Round Cover*



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8060W-CAR	White	0 34481 14638 4	6	21" x 7.5" x 11"	5.28	1.00

*"No-Tool" Lampholder with Rectangular Cover Kit*



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P8055W-CAR	White	0 34481 14636 0	6	21" x 7.5" x 11"	5.28	1.00

*Closure Plugs*



Part #	Product Color	UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
P7701W-CAR	White	0 34481 13282 0	30	6" x 4" x 6"	0.60	0.08

*Fixture Base*



Part #	Product Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E962E	Black	0 34481 12048 3	6	12" x 8" x 6"	4.50	0.33

One-piece universal mounting base with 4-3/4" threaded hubs. Twist-on/lock-on socket assembly. Ceramic socket shell.

### Clear Glass Globe



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E960GLB	Clear Glass	0 34481 06487 9	6	11" x 7.375" x 8"	6.60	0.37

### Clear Polycarbonate Globe



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E960PGL	Clear Plastic	0 34481 06489 3	6	12.87" x 6.37" x 8.25"	1.74	0.39

### Weatherproof Utility Light Kit



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
E962EGLB	Clear Glass	0 34481 16182 0	3	10" x 12" x 8"	22.56	0.55
E962EPGL	Clear Plastic	0 34481 16183 7	3	10" x 12" x 8"	15.72	0.55

Suitable for damp and wet locations.

Fixtures with plastic globes mounted in a vertical position (globe pointing down only), can only use a maximum lamp size 60 watts, glass globes use a maximum of 100 watts. Fixtures mounted in a horizontal position or a position other than vertical have a maximum lamp size of 60 watts.

It is not recommended to mount the plastic globe horizontally for incandescent applications.

### Metal Weatherproof Utility Light Kit - Ceiling Mount



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
MCL150C	Clear Glass	0 34481 19377 7	6	14" x 9.5" x 10.62"	13.8	0.81

Fixture is manufactured from heavy duty die-cast aluminum, which is suitable for wet locations. Fixture can be surface mounted or mounted to a junction box and is listed for through branch wiring. Use a maximum lamp size of 150 watts, 120VAC, incandescent bulb only.

### Metal Weatherproof Utility Light Kit - Wall Mount



Part #	Color	POS UPC Code	Carton Quantity	Carton Dimensions (L x W x H)	Case Weight (Lbs)	Case Cube (Cu. Ft.)
MCL150W	Clear Glass	0 34481 19378 4	6	14" x 9.5" x 10.62"	17.8	1.05

Fixture is manufactured from heavy duty die-cast aluminum, which is suitable for wet locations. Fixture can be mounted in a vertical position (globe pointing down only). Use a maximum lamp size of 150 watts, 120VAC, incandescent bulb only.